
Þ ٥ Address ☐ http://hdx-lab2/dsh/gateways/demo2.srvc.dll/dshmain.jsp?bv\_SessionID=@@@@1970870650.0971299105@@@@&bv\_EngineID=caljdegflembedbfecfghcf.0 | ▼ | G0 PHYS 2 Sardiology seminar in room There will be a lunchtime (ardios, Call x9935 for \_027 on November 26th Subject: "Advances in Log O∰ Cardioscopy" by Dr ☐ LOCAL INTRANEI ಣ News Flash! 9 D ٥ 음 3AR MED MCU07 0BSR03 319A 322A 323A [LAB RESULT] Brady,Louise P - BMP7 - 12/31/99 08:42:00 AM [LAB RESULT] Baker, Harold - CBCM - 12/31/99 12:02:00 pm Nurs Sta EMail MICU OBSR 3WST 3WST 3WST [LAB RESULT] BMP7-ABN-12/31/99 08:42:00 AM - Loc: 18W/1159A/@SMS Health Enterprise [LAB RESULT] BMP7-12/31/99 08:42:00 AM - Loc: 18W/1159A/ [LAB RESULT] BMP7-12/31/99 08:42:00 AM Hello, Dr. McCoy! Med Rec No 102557 114534 102790 102790 102794 -From: Carl Washbum/SMS -From: Carl Washbum/SMS Clinical Analysis - Loc: 18W/1159A/ Details 31 28887 M B 9 SMS Dashboard - Microsoft Internet Explorer provided by SMS Š ₹ □□ Results Notification  $^{33}$ □□ Inpatient Census Datient 29 (2) Brady, Louise P My Setup -(2) Brady, Louise P (2) Brady, Louise P (?) Brady, Louise P Patterson, Maria L-D Baker, Harold Tools Help Patient Name Saker, Harold Stein, Dixie pp, Monroe Gaul, Betty Favorites 9 (C) MEMORIAL HEALTH SYSTEM ☐ UNICEF Offers Medical ☐ ACP-ASIM Clinical Fexas Parental Notice View Assistance to Ethiopia Dashboard Home (33) Medical Reference ☐ ACP-ASIMBest ncludes RU-486 Evidence Link Health News Guidelines ① • ① Resources 12~ 4 37 34

the first of the second of the first term of the second of



	SecuriD PASSCODE Request - Microsoft Internet Explorer provided by SMS	L
	dle <u>H</u>	SWS
	◆ Back 少〇 □ △   Q Search □ Favorites G History   回口 日 W	
	Address ☐ http://dsh.smshealthconx.net/dshlogin.jsp?svc=HS0JH&sso=yes&username=dts	2 69
	SecurID PASSCODE Request	
	The page you are attempting to access requires you to authenticate using your SecurID token.	
	Enter your Username and SecurID PASSCODE in the following fields, and then click "Send." If you make a mistake, use "Reset" to clear the fields.	
	313 Username: 315 PASSCODE:	
		I.
	Send Reset	
310		

FIG. 3




FIG. 4

	NAME	IN/OUT	TYPE	DESCRIPTION
500	AuthServer	IN	STRING	AUTHENTICATING SERVICE NAME. THIS IDENTIFIES THE AUTHENTICATION SYSTEM (DATABASE) USED TO AUTHENTICATE THE USER. IT, ALONG WITH UserID MAY BE USED AS A KEY INTO A USER-MAPPING TOOL FOR MAPPING userIDs (FOR A GIVEN USER) ACROSS MULTIPLE SYSTEMS.
503	Language	IN	STRING	LANGUAGE AND COUNTRY IDENTIFICATION. THE INTERNET RFC 1766 (STANDARD FOR LANGUAGE CODES) IS TO BE USED.
505	LogoffURL	IN	STRING	URL USED TO REDIRECT THE USER TO A LOG-ON SCREEN WHEN A SESSION TIME-OUT HAS BEEN DETECTED. THE URL MUST BE FULLY QUALIFIED (NO RELATIVE ADDRESSING).
507	LogoffURL Target	IN	STRING	NAME OF FRAME TO BE TARGETED WHEN THE BROWSER IS REDIRECTED TO LogoffURL.
513	TIMEOUT	IN	INTEGER	SESSION YTIME-OUT IN SECONDS. IF OMITTED, TIMEOUT DEFAULTS TO 10 MINUTES
517	UserID	IN	STRING	USER IDENTIFICATION. THIS (ALONG WITH THE AuthServer PROPERTY) IS USED TO HELP IDENTIFY THE USER. THIS SHOULD BE THE USERID USED TO AUTHENTICATE THE USER. (SEE AuthServer).
520	SessID	OUT	STRING	UNIQUE SESSION IDENTIFIER ASSIGNED BY MANAGER 250
530	SessionKey	OUT	STRING	KEY TO BE USED TO ENCRYPT AND DECRYPT URL DATA.
525	SMResult	OUT	INTEGER	RESULT OF REQUEST.  □ SUCCESS □ FAILURE

FIG. 5

	NAME	IN/OUT	TYPE	DESCRIPTION
600	SessID	IN	STRING	SESSION IDENTIFIER.
603	SMResult	OUT	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE NOT FOUND

FIG. 6

:	NAME	IN/OUT	TYPE	DESCRIPTION
700	SessID	IN	STRING	SESSION IDENTIFIER.
703	AuthServer	M.	STRING	STRING USED TO IDENTIFY THE USER DATABASE TO WHICH THE UserID IS ASSOCIATED.
705	UserID	IN	STRING	THE USER IDENTIFIER.
707	SMResult	OUT	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE NOT FOUND TIME-OUT

FIG. 7

	NAME	IN/OUT	TYPE	DESCRIPTION
800	SessID	IN	STRING	SESSION IDENTIFIER.
803	AuthServer	!N	STRING	STRING USED TO IDENTIFY THE USER DATABASE TO WHICH THE UserID IS ASSOCIATED.
806	UserID	OUT	STRING	THE USER IDENTIFIER.
809	SMResult	OUT	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE NOT FOUND TIME-OUT

FIG. 8

	NAME	IN/OUT	TYPE	DESCRIPTION
900	SessID	IN	STRING	SESSION IDENTIFIER.
903	AuthServer	OUT	STRING	THIS IDENTIFIES THE AUTHENTICATION SYSTEM (DATABASE) USED TO AUTHENTICATE THE USER.
907	LANGUAGE	OUT	STRING	LANGUAGE AND COUNTRY IDENTIFICATION. THE INTERNET RFC 1766 (STANDARD FOR LANGUAGE CODES) IS TO BE USED.
911	LogoffURL	OUT	STRING	URL USED TO REDIRECT THE USER TO A LOG-ON SCREEN WHEN A SESSION TIME-OUT HAS BEEN DETECTED. THE URL IS FULLY QUALIFIED (NO RELATIVE ADDRESSING). IF BLANK, THE APPLICATION SHOULD RETURN A BLANK PAGE TO THE BROWSER.
913	LogoffURL Target	OUT	STRING	NAME OF FRAME TO BE TARGETED WHEN THE BROWSER IS REDIRECTED TO LogoffURL. IF BLANK, NO TARGET FRAME SHOULD BE SPECIFIED
915	TIMEOUT	OUT	INTEGER	SESSION TIME-OUT IN SECONDS.
917	UserID	OUT	STRING	USER IDENTIFICATION USED TO AUTHENTICATE THE USER.
921	SessionKey	OUT	STRING	KEY TO BE USED TO ENCRYPT AND DECRYPT URL DATA.
923	SMResult	OUT	INTEGER	RESULT OF REQUEST.  SUCCESS  FAILURE  NOT FOUND  TIME-OUT

FIG. 9

	NAME	IN/OUT	TYPE	DESCRIPTION
449	SessID	IN	STRING	SESSION IDENTIFIER.
450	CallbackURL	IN	STRING	URL TO BE CONTACTED WHEN A SPECIFIED SESSION EVENT OCCURS. THIS CAN BE ANY VALID URL COMPLETE WITH PATH INFORMATION AND QUERY DATA. THE URL IS REFERENCED Y AS IT IS ENTERED IN THIS PROPERTY. NOTE: THE URL SPECIFIED HERE IS TO BE VALID IN THE NETWORK SEGMENT WHERE THE MANAGER THAT INVOKES THE CALLBACK OPERATES (NETWORK ADDRESS TRANSLATION MAY BE NECESSARY).
453 ->	CallbackType	IN	INTEGER	TYPE OF EVENT THAT WILL TRIGGER THIS CALLBACK. ONLY SESSION TERMINATION EVENT IS CURRENTLY SUPPORTED. POSSIBLE VALUE ARE: 1 - END SESSION EVENT
445	SMResult	OUT	INTEGER	RESULT OF REQUEST  SUCCESS FAILURE NOT FOUND TIME-OUT

FIG. 10

	NAME	IN/OUT	TYPE	DESCRIPTION
460	SessID	IN.	STRING	SESSION IDENTIFICATION
463	SMResult	OUT	INTEGER	RESULT OF REQUEST  SUCCESS  FAILURE  NOT FOUND  TIME-OUT

FIG. 11

	NAME	IN/OUT	TYPE	DESCRIPTION
573	SessID	IN	STRING	SESSION IDENTIFIER.
577	ActivityInterval	OUT	INTEGER	SECONDS SINCE LAST ACTIVITY.
583	TIMEOUT	OUT	INTEGER	SESSION TIME-OUT IN SECONDS
589	SMResult	OUT	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE NOT FOUND TIME-OUT

FIG. 12

	NAME	IN/OUT	TYPE	DESCRIPTION
653	ClearText	IN	STRING	THE STRING TO BE ENCRYPTED. EXAMPLE STRING: GSMHASH=4326&pid=17388902&patname=smith
656	SessionKey	2	STRING	THE SHARED ENCRYPTION KEY TO BE USED. THIS IS THE SessionKey VALUE RETRIEVED THROUGH THE MANAGER 250 GetSession METHOD.
659	CipherText	Out	STRING	THE ENCRYPTED STRING. THIS IS USED TO VALUE THE DATA ELEMENT <i>GSM</i> . THE STRING IS ENCODED IN MIME 64 ENCODING FORMAT.
664	SMResult	Out	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE

FIG. 13

	NAME	IN/OUT	TYPE	DESCRIPTION
751	CipherText	IN	STRING	THE ENCRYPTED STRING. THIS TYPICALLY COMES FROM THE DATA ELEMENT <i>GSM</i> AND IS IN MIME 64 ENCODING FORMAT.
753	SessionKey	IN	STRING	THE SHARED ENCRYPTION KEY TO BE USED. THIS IS THE <i>SessionKey</i> VALUE RETRIEVED THROUGH THE MANAGER 250 <i>GetSession</i> METHOD.
755	ClearText	OUT	STRING	THE RESULTING DECIPHERED STRING.
757	SMResult	OUT	INTEGER	RESULT OF REQUEST.  □ SUCCESS □ FAILURE

FIG. 14

	NAME	IN/OUT	TYPE	DESCRIPTION
783	ClearText	IN	STRING	THE STRING TO BE HASHED.
787 -	HASH	OUT	STRING	THE RESULTANT HASH VALUE.
789	SMResult	Out	INTEGER	RESULT OF REQUEST.  SUCCESS FAILURE

FIG. 15




FIG. 16